: BEARING ASSEMBLY

: D3121241

: 29/09/2008

: N/A

: E

: D3121 REV E



Customer

Monday, 22/09/2008 2:20:13 PM

Julie Secocq

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

: CU-DAR001 Dart Helicopters Services

Type

: 42177 - > Job Number

Estimate Number : 10716

P.O. Number

: 22/09/2008 This Issue

Prsht Rev. : NC

: 22/09/2008 First Issue

Previous Run : 40352

Written By

Comment

S.O. No. :

Est Rev:B ECN 1060 07-11-12 DD verified by:EC

: MACHINED PARTS

Checked & Approved By

: Est Rev:A 04.02.18 New issue KJ/DS

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

MDELRINR12500

DELRIN ROUND BAR 1.25

13.6500 f(s)

Comment: Qty.: 0.0546 f(s)/Unit Total:

Material: Ø1:25 Delrin Rod

(M-DELRIN-R1.2500) Identify as D3121-25 Batch: M 108460

10 Ft + 3 Ft

2.0

HARDINGE

HARDINGE CNC LATHE SMALL




Comment: HARDINGE CNC LATHE SMALL

1-Turn D3121-25 Cap as per Folio FA387

2-Deburr

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



3.0

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8 SECOND CHECK







Each

Comment: SECOND CHECK

5.0

D312123

Bearing



Comment: Qty.: Pick:

Qty Part Number

1 D3121-23

Description

Bearing

Batch

2200

Monday, 22/09/2008 2:20:13 PM **Process Sheet** Julie Lecocq Drawing Name: BEARING ASSEMBLY customer: CU-DAR001 Dart Helicopters Services Part Number: D3121241 Job Number: 42177 Job Number: Description: Machine Or Operation: Seq. #: SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 6.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Press D3121-23 Bearing into D3121-25 Cap as per Dwg D3121 INSPECT WORK TO CURRENT STEP QC5 7.0 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE QC21 9.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

DART AEROSPACE LTD	Work Order:	4217
Description: Cap	Part Number:	D3121-25
Inspection Dwg: D3121 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.315	+/-0.010	.314				
Ø1.000	+/-0.010	01.004				
Ø0.838	+/-0.002	0.839				
R0.063	+/-0.010	R.060				
R0.010	+/-0.010	12.010	//			
0.230	+/-0.001	-225	//			
Ø0.865	+/-0.001	0.866				
						le le
					+	
					5	
					2	
		34			(4)	
		2				
	N:					

Measured by:	Audited by:	Prototype Approval:	N/A
Date: 06/10/18	Date: 08/10/20	Date:	N/A

Rev	Date	Change		Revised by	Approved
Α	04.04.20	New Issue	(P/O D3121-241)	KJ/RF	
В	06.06.09	Ø1.000 diameter	r was Ø1.024	KJ/JLM	- 11
С	08.01.16	Dwg Rev. update	ed	KJ/EC/DD	X

DART AEROSPACE LTD	Work Order:	1217 (
Description: Cap	Part Number:	D3121-25
Inspection Dwg: D3121 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


)	First /	Article	Prot	otype
Drawing		Actual		Painet	Meth


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.315	+/-0.010	.314				
Ø1.000	+/-0.010	01.004				
Ø0.838	+/-0.002	0.839		0		
R0.063	+/-0.010	R.060				
R0.010	+/-0.010	12.010	//			
0.230	+/-0.001	-225	//			
Ø0.865	+/-0.001	0.866				
						1
						ET.
						No.
		(a)			(4)	
	h	=				
						E-404 5.

Measured by:	SI	Audited by:	35	Prototype Approval:	N/A
Date:	36110118	Date:	08/10/20	Date:	N/A

Rev	Date	Change	Revised by	Approved
	04.04.20	New Issue (P/O D3121-241)	KJ/RF	
В	06.06.09	Ø1.000 diameter was Ø1.024	KJ/JLM	- 11
		Dwg Rev. updated	KJ/EC/DD	77







ELEASE -0.080- 0.050 TO 0.060

D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- NONE 2) FINISH:

0.375 -

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


TAP 10-32


UNF-3A

- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015






D3121-19 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES

D3121-25 CAP (SCALE 1:1)

- 1) MATERIAL: DELRIN ROD, Ø1.25 (REF DART SPEC. M-DELRIN-R1.250)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES




D3121-23 BEARING (SCALE 1:1)

1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ

ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO

SHOP COPY

RETURN TO



D3121-241 BEARING ASSEBLY (SCALE 1:1)

ALL DIMENSIONS ARE IN INCHES

Copyright @ 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.